



Specifications Philips LED Panel
CoreLine RC132V 33,5W 4300lm - 840
Cool White | 60x60cm - UGR <22 -
Interact Dimmable - Emergency 3H

[View Product](#)

General Information

SKU	246362
EAN	8720169013896
Brand	Philips
Manufacturer Name	RC132V G5 43S/840 WIA W60L60 NOC ELB3
Any Lamp all-in warranty	5 Years
Average Lifetime (h)	50000
Series	RC132V

Technical Information

Technology	LED Integrated
Replaces (Watt)	4x18
Wattage	33.5
Voltage (V)	220-240
Dimmable	Dimmable with Philips Interact
Colour Code	840 Cool White
Colour temperature (Kelvin)	4000 Cool White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color
Including bulb	Yes

Amount of bulbs required	1
Luminous Flux (Lumen)	4300
Luminous Efficacy (lm/W)	128
IP-rating	IP20
Impact Protection (IK)	IK03 - 0.35 joule
Fixture Connection	PI [Push-in connector 5-pole]
Finish of Reflector	Acrylate
Power factor	>0.90
Product Type Category	LED Panel

Fixture Information

EOC8	01389600
Mounting Method	Recessed
Unified Glare Rating	< 22 - for general areas
Optical Cover	PS (Polystyrene)
Operating Temperature	0 to +35
Emergency Lighting	3H Emergency Light
Colour of the Fixture	White
Housing	Steel
Colour of material	White

Dimensions

LED panel size	60x60cm
Length (mm)	595
Width (mm)	595
Height (mm)	70

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process

